



About Robust Enterprises

We are leading providers of high quality ***Metal Fire Doors, Glazed Fire Doors, Glazed Fire Partitions and Fixed Windows, Demountable Glass Partitions.*** Having over 10 years of experience in the field we have expertise in offering specification writing to architects, consultants, developers, contractors and end users.

We ensure that each project is dealt with in the most professional manner from concept, through design, delivery and after sales service. We offer products of leading brands that are tested to highest building codes that comply to latest building standards.



Our products

Fire Exit Doors/Emergency Escape Doors

We offer Fire Exit Doors that are **CBRI certified as per IS 3614/ BS 476 standards** that comply with fire norms. Fire Exit Doors are mandatory as per Fire Norms and extensively used in Emergency Escape Areas.

Doors are available in many finishes and hardware combinations.



Key Specifications/Special Features:

*Fire rated 120 Mins (CBRI Tested)
Door material Galvanized Steel
Door leaf thickness 44-46mm
Glass with/without fire rated glass
Steel sheet door leaf: 0.8mm / 1.2mm Galvanized Steel
Frame: 1.6mm/1.2mm Galvanized Steel
Accessories Fire rated hinge, door closer, Panic Bar with Trim,
Filler Material Resin bonded Honeycomb
Surface finish powder coating*

Fire Rated / General Steel Doors

Steel Doors are preferred over wooden doors due to its robust features. Steel Fire Doors avoid spread of fire thus ensure saving of life and property.

These doors are made of Galvanised Steel with Powder Coated finishes and available in different hardware and glass variants. These doors are widely used in residential, commercial and industrial projects in internal and external applications



Application areas

Electrical Rooms
Server Rooms
BMS Rooms
Toilet Rooms
Industrial Sheds
Staircase Areas
Meter Rooms

Wooden Finish Metal Doors

Wooden Finish metal doors are attractive, strong and a perfect combination of aesthetic and safety values. Best suited for residential projects. Available in many shades and hardware combination with Fire Safety features. These doors can also be integrated with Digital Locks.



Application areas

Main Entrance
Balcony
Lobby
Internal Rooms

Duct / Shaft Doors

Duct / Shaft Doors are extensively used in Fire, Electrical, LV & other utility application areas. Made of galvanized steel with powder coating are safe and secure for purpose of keeping duct areas safe from spread of fire. Available in Single and Double Skin.



Application areas

Electrical Duct
LV Duct
Fire Duct


Stock Doors

Keeping in mind urgencies at site we offer stock doors readily available of standard sizes and colors. These can be made available within 48 hrs of confirmation. Comes with complete package of Door & Hardware easy to fix at site.

Standard Sizes Available

1000 x 2100mm

1200 x 2100mm



Mortise Dead Lock

Panic Device



RAL 3020

RAL 9001

RAL 7040

BENEFITS TO THE BUYER

Faster delivery

Door and hardware based on application as a complete package

Easy to handle, store and install

Choice of RAL colors

100% tested and complaint fire door as per NBC 2016

5 years warranty against manufacturing defects

Clean Room Doors & Windows

Clean room doors are an essential part of clean rooms since they are responsible for sealing the controlled environment. If they do not work properly, the clean room is exposed to a higher risk of contamination. We offer clean room doors that have flat surface, high level of air tightness, premium hardware, locking options & drop seals with wide range of finishes. Clean room doors are widely used in pharmaceutical units, Food processing centers, Testing centers and labs



Glazed Fire Doors & Fixed Partitions

In the event of a fire, fire glazed doors enable occupants to see if an escape route is clear, rather than risking opening a door leading to a fire, and will show if anyone is trapped or unconscious behind a door. Glazed Fire Doors are high on aesthetics hence can be used in internal applications like Entrance Lobby, Staircases, Server Rooms etc... Tested and certified to comply with the International standards these doors are factory-finished in polyester powder coated



Demountable Glass Partitions

Compatible to glass thickness : 10mm & 12mm clear toughened or 10.76, 11.10 & 11.52 Clear laminated glass.

Single Glazed Partition (Block Design Compatible in Divider system or Stick-On system)

Partition height can be considered up to 3000 mm. All exposed aluminum sections are Anodized and come in 6063 with T5 Grade.


Shades available: Silver Anodized / Mid Night Black /(Mill finish also available, Anodizing shades or powder-coating subject to min qty 500 sq ft)

Door frames: Doors can be mounted either on Hinges, patch systems or Pivot doors for frameless glass doors, Stile doors also can be incorporated. **Sound insulation capacity: 32 dB to 34 dB**



After Sales Service

Our Aim is to serve our customers to utmost satisfaction. We believe in after sales support as it is most important part in the project sales life cycle. We have in house expertise and service team having on field practical experience of handling complex requirements. We involve our service team right from the stage of enquiry till supply so as to ensure smooth handover of the project. Our team has expertise in the product specifications and standards.



ROBUST ENTERPRISES									
DOORS & HARDWARE INSTALLATION HANDING OVER REPORT (HOR)									
CLIENT NAME :	Euro School.			PROJECT & SITE ADDRESS		DATE:	25/09/2021		
CLIENT WO NUMBER :				Khamuli, Pune.		REPORT No:			
PROJECT MANAGER NAME:	Avinash Sir.					ROBUST MANAGER:			
PMC - MANAGER NAME:						ROBUST CONTRACTOR:			
SO. No.				TOTAL QTY. OF DOORS:		22 NOS.	INSTALLED QTY IN THIS (HOR):	BAL.QTY:	
Please mark "✓" for completed and "NA" for Not applicable columns.									
SL. NO.	LOCATION	DOOR CODE	DOOR DETAILS		QTY	FRAME INSTALLATION	SHUTTER INSTALLATION	KEY Numbers.	
			WIDTH (MM)	HEIGHT (MM)					
1	Ground Floor.				04	✓	✓	22 NOS. Key Handover.	
2	1st Floor.				04	✓	✓		
3	2nd Floor.				04	✓	✓		
4	3rd Floor				04	✓	✓		
5	4th Floor				04	✓	✓		
6	Terraces				02.	✓	✓		
7									
8									
9									
10									
NOTE: We shall not be responsible nor shall be liable for any theft or damages to the Doors and Hardware after the Hand over to Client or Client representative.									
* Protective tape covering of all frames and shutters shall be removed within 10 days from the date of this report. Any issues arising due to Non removal including Paint peel shall not be covered under warranty.									
Customer confirmation: THIS REPORT IS DULY SIGNED AND IS SUITABLE FOR RAISING OF INSTALLATION INVOICE BY ROBUST ON US.									
INSTALLATION TEAM SIGNATURE			ENGINEER SIGNATURE			CLIENT NAME & SIGNATURE			
NAME			NAME			CLIENT DESIGNATION			
CONTACT NUMBER			CONTACT NUMBER			CLIENT CONTACT NUMBER			
DATE			DATE			DATE			
For any after sales queries, please contact : sales@robustenterprises.info									

Our esteemed clients





Thank you

Robust Enterprises

Reg Office :

A/18, Block No 130, J.P. Nagar, Virar West, Palghar 401301

Branch Office :

302, Solaris, Off Pune Bangalore Highway, Yogi Park, Baner, Pune, 411045

sales@robustenterprises.info

+91 9967534560

Website : <https://robustent.com/>

